

# BROCHURE

Workwear - Footwear - PPE - Hand Protection



# ARC FLASH GO/RT COVERALL

- Fire Retardant, Hi Vis, Anti-static, ARC Flash Orange Coverall.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 310gsm 40% Modacrylic 24% Viscose, 20% Polyester, 10% Cotton, 4% Aramid, 2% Anti-static Fibre.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Adjustable leg bellows.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility - GORT 3279 Issue 8
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 16 Cal/cm2) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£240.04  
excluding VAT



# ARC FLASH COVERALL

- Fire retardant, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11611:2007 (Class 1 A1 A2) - Protective clothing for use in welding  
EN ISO 11612:2008 (A1 A2 B1 C1) - Protection against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£100.76  
excluding VAT



Product Code:  
CARC53OR

Available in Sizes:  
38 - 56 (Tall Leg Available)

Available in Colours:

Orange  
CARC53OR

- Anti Static
- Arc Flash Protection
- Fire Retardant
- Hi Visibility
- Protection for Welding and Allied Processes



Product Code:  
CARC6

Available in Sizes:  
38" - 54"

Available in Colours:

Navy Blue  
CARC6N

- Anti Static
- Arc Flash Protection
- Fire Retardant
- Protection for Welding and Allied Processes

# ARC FLASH COVERALL TWO TONE

- Fire Retardant, Hi Vis, Anti-static, ARC Flash two tone coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£126.19  
excluding VAT



# ARC FLASH POLO SHIRT

- Flame Retardant, Anti-Static, ARC long sleeved polo shirt.
- 210gsm 60/40 Modacrylic/cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (EBT50 = 5.0 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£49.97  
excluding VAT



Product Code:  
CARC7

Available in Sizes:  
38" - 54"

Available in Colours:



- Anti Static
- Arc Flash Protection
- Fire Retardant
- Protection for Welding and Allied Processes



Product Code:  
CARC1

Available in Sizes:  
S - 6XL

Available in Colours:



- Anti Static
- Arc Flash Protection
- Fire Retardant



## ARC FLASH HI VIZ POLO SHIRT

- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- 280gsm 60/40 Modacrylic/cotton blend PDR fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
EN ISO 11612:2015 (A1 A2 B1 C1)  
EN ISO 20471:2013 (CLASS 3)  
EN 1149-3:2004 - Anti Static - Test methods for performance of charge decay  
EN 1149-5:2008 - Anti Static - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-1:2009 (ATPV = 9.1 Cal/cm<sup>2</sup>) - Open Arc testing  
EN61482-1-2:2007 (CLASS 1 = 4kA) - Box Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£56.61  
excluding VAT

 CLICK ARC

## ARC FLASH GO/RT POLO SHIRT

- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 220gsm 66% Modacrylic, 32% Polyester, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
EN ISO 11612:2015 (A1 B1 C1)  
EN ISO 20471:2013 (CLASS 3) - GORT 3279 2013 Issue 8  
EN 1149-3:2004 - Anti Static - Test methods for performance of charge decay  
EN 1149-5:2008 - Anti Static - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-1:2009 (ATPV = 6.2 Cal/cm<sup>2</sup>) - Open Arc testing  
EN 61482-1-2:2007 (CLASS 1 = 4kA) - Box Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£81.54  
excluding VAT

 CLICK ARC



Product Code:  
CARC2


Available in Sizes:  
S - 6XL

Available in Colours:

 Saturn Yellow  
CARC2HVSY

 Anti Static

 Arc Flash Protection

 Fire Retardant

 Hi Visibility



Product Code:  
CARC51

Available in Sizes:  
S - 6XL

Available in Colours:

 Orange  
CARC51OR

 Anti Static

 Arc Flash Protection

 Fire Retardant

 Hi Visibility

# ARC FLASH SWEATSHIRT

- Fire Retardant, Anti-Static, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11612:2015 (A1 B1 C2) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 12.6 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



# ARC FLASH GO/RT SWEATSHIRT

- Fire Retardant, Anti-Static, Hi-Vis Orange, ARC Flash Sweatshirt.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 275gsm 41% Protex, 30% Polyester, 27% Cotton, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing  
EN ISO 20471 : 2013 (Class 3) - GORT 3279 2013 Issue 8  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN ISO 11612:2008 (A1 B1 C1) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2 : (Class 1= 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 12.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



Product Code:  
CARC3

Available in Sizes:  
S - 6XL

Available in Colours:



Navy Blue  
CARC3N



Anti Static



Arc Flash Protection



Fire Retardant



Product Code:  
CARC56

Available in Sizes:  
S - 6XL

Available in Colours:



Orange  
CARC56OR



Arc Flash Protection



Fire Retardant



Hi Visibility

£86.78  
excluding VAT



# ARC FLASH TROUSERS

- Fire retardant, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Inherently flame retardant.
- Flame retardent qualities will not diminish during life of garment.
- Triple stitch construction.
- 7 belt loop part elastic waisband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

Leg length:  
Small (S) - 29"  
Regular - 31"  
Tail (T) - 33"

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11611:2007 (Class 1 A1 A2) - Protective clothing for use in welding  
EN ISO 11612:2008 (A1 A2 B1 C1) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£49.97  
excluding VAT



# ARC FLASH HI VIZ TROUSERS

- Fire Retardant, Hi Vis, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 7 belt loop part elastic waisband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

EN ISO 13688:2013 - General requirements for protective clothing  
EN ISO 20471:2013 Class 2 - Test method for high visibility  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11611:2007 (Class 1 A1 A2) - Protective clothing for use in welding  
EN ISO 11612:2008 (A1 A2 B1 C1) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing

- Each garment style is independantly tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



£75.84  
excluding VAT



Product Code:  
CARC4

Available in Sizes:  
28" - 50" (Short & Tall Leg  
Available)

Available in Colours:



Navy Blue  
CARC4N



Anti Static



Arc Flash Protection



Fire Retardant



Protection for Welding and  
Allied Processes



Product Code:  
CARC5

Available in Sizes:  
30" - 50" (Tall Leg  
Available)

Available in Colours:



Saturn Yellow / Navy  
CARC5SYN



Anti Static



Arc Flash Protection



Fire Retardant



Hi Visibility



Protection for Welding and  
Allied Processes

# ARC FLASH GO/RT TROUSERS

- Fire Retardant, Hi Vis, Anti-static, ARC Flash, orange cargo style trousers.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 310gsm 40% Modacrylic, 24% FR Viscose, 20% Polyester, 10% Cotton, 4% Aramid, 2% Anti-static Fibre.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Adjustable leg bellows.
- Tall leg sizes available.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 2 - Test method for high visibility - GORT 3279 Issue 8
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements

EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing

EN 61482-1-1:2009 (ATPV = 16 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.







Product Code:  
CARC52OR

Available in Sizes:  
30 - 50 (Tall Leg Available)

Available in Colours:

 Orange  
CARC52OR

-  Anti Static
-  Arc Flash Protection
-  Fire Retardant
-  Hi Visibility
-  Protection for Welding and Allied Processes



## Pictogram Key



**Anti Static**



**Arc Flash Protection**



**Fire Retardant**



**Hi Visibility**



**Protection for Welding and Allied Processes**





ACME Corp.  
1 Plumbus Rd.  
Birmingham

B99 3RM

t: 0121 496 0133  
f: 0121 496 0133  
e: [acme@acme.com](mailto:acme@acme.com)

Workwear - Footwear - PPE - Hand Protection